

	B.S.	H.I.	F.S.	ELEV.	
BM #13	3.44	755.63		752.19	752.19
	5.50	755.69	5.44	750.19	
	7.63	758.47	4.85	750.84	
	12.56	769.93	1.10	757.37	
BM #14	13.73	775.80	7.86	762.07	762.06
	10.36	777.02	9.14	766.66	
	10.82	787.39	0.45	776.57	
BM #15	13.55	798.42	2.52	784.87	784.86
	13.31	811.47	0.26	798.16	
	13.77	825.02	0.22	811.25	
	13.07	837.86	0.23	824.79	
	6.52	843.57	0.81	837.05	
	13.11	844.88	11.80	831.77	
	13.07	857.58	0.37	844.51	
BM #16	0.29	854.95	2.92	854.66	854.65
	0.80	842.40	13.35	841.60	
	0.22	829.42	13.20	829.20	
	0.36	816.34	13.44	815.98	
	8.86	811.91	13.29	803.05	
BM #17	1.03	803.37	9.57	802.34	802.34
	0.44	790.07	13.74	789.63	
	1.03	777.99	13.11	776.96	
	1.44	765.97	13.46	764.53	


	B.S.	H.I.	F.S.	ELEV.	
BM#13	1.049	230.317			229.268
	1.676	230.335	1.658	228.659	
	2.326	231.183	1.478	228.857	
	3.828	234.676	0.335	230.848	
BM#14	4.185	236.465	2.396	232.280	232.276
	3.158	236.837	2.786	233.679	
	3.298	239.998	0.137	236.700	
BM#15	4.130	243.360	0.768	239.230	239.225
	4.057	247.338	0.079	243.281	
	4.197	251.468	0.067	247.271	
	3.984	255.382	0.070	251.398	
	1.987	257.122	0.247	255.135	
	3.996	257.521	3.597	253.525	
	3.984	261.392	0.113	257.408	
BM#16	1.917	260.590	0.890	260.502	260.497
	0.244	256.765	4.069	256.521	
	0.067	252.809	4.023	252.742	
	0.110	248.822	4.097	248.712	
	2.700	247.471	4.051	244.771	
BM#17	0.314	244.868	2.917	244.554	244.553
	0.134	240.814	4.188	240.680	
	0.314	237.132	3.996	236.818	
	0.439	233.468	4.103	233.029	

SP-5

X-E. CONC. BR. RAIL 4.8m Lt Sta 2+895

R.R. Spike N. Side 300mm Elm  
24.4 m Rt Sta 3+181

R.R. Spike 355mm Scyamore 33.5 m Rt  
Sta 3+474

R.R. Spike S. Side 760mm Oak  
Lt. Sta. 3+657

Bolt S. Side 255mm OAK 15 m  
Rt. 3+819

Bench Level Notes