
## MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION PLANS FOR PROPOSED STATE HIGHWAY

INDEX OF SHEE	TS		DIA SHOULD ONSIDERED
DESCRIPTION	SHEET NUMBER	A CEF	TIFIED MENT."
	1		
TYPICAL SECTIONS (TS) (1 SHEET) OUANTITIES (OU) (1 SHEET)			PREPARED /2012
TRAFFIC CONTROL (TC)(4 SHEETS)		ROUTE	STATE MO
		DISTRICT	SHEET NO. 1
		CO	
		JOE	3 NO.
		CONTR	ACT ID.
		PROJE	CT NO.
		BRID	GE NO.
		N	
		DESCRIPTION	
		DESCF	
		DATE	
		z.	0 6 6 1
		ATI	WEST CAPITOL TY. MO 65102 88-275-6636)
		ORT	ST C • MO 3-275
		TRANSPORTATION N	05 CI 1-8
LENGTH OF PROJ	ECT		230 D T D
BEGINNING OF PROJECT		MISSOURI HIGHWAYS AND COMMISSI	JEFEL -888-ASK-MOD
END OF PROJECT			
APPARENT LENGTH	MILES		
EQUATIONS AND EXCEPTIONS:			
		VI SS	
		~ ·	
TOTAL CORRECTIONS			
NET LENGTH OF PROJECT STATE LENGTH			
SEAL_COAT_Title_09	2012 dan 4:0	9:14 PM	9/11/2012



STRIPING TO BE COMPLETED BY OTHERS. NOTIFY ENGINEER TWO WEEKS PRIOR TO PROJECT COMPLETION

9/11/2012 ROUTE STATE MO DISTRICT SHEET NO. 2 COUNTY JOB NO. CONTRACT ID. PROJECT NO. BRIDGE NO. BRIDGE NO. 01114: WO 2000 01100 01100 01100 01100 01000 0000 0000 00000 00000 00000 00000 00000 00000 00000 00000 00000 000000
JOB NO. CONTRACT ID. PROJECT NO. BRIDGE NO. NOILLING SSIG UNIT NOILLING BRIDGE NO.
DATE DCE NO.
DATE
MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION COMMISSION 105 WEST CAPITOL

## TYPICAL SECTION

SHEET 1 OF 1

SEAL\_COAT\_Typica\_09\_2012I.dgn

4:10:41 PM

9/11/2

#### **MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION**

SUMMARY OF QUANTITIES

			С	ONSTRU	CTION SIGN	ING
SIGN NO.	SIGN	SIZE (in.)	AREA	QTY.	TOTAL AREA (ft.²)	DESCRIPTION
2 **	WO20-1	48 × 48	16.00	Х	XXX	ROAD WORK AHEAD
7	W020-4	48 × 48	16.00	8	128	ONE LANE ROAD AHEAD
8	W020-7a	48 × 48	16.00	8	128	FLAGGER (SYMBOL) (WITH FLAGS)
1 *	GO20-1	60 x 24	10.00	2	20	ROAD WORK NEXT XX MILES (1) 2-XX MILES
20	GO20-2	48 x 24	8.00	2	16	END ROAD WORK
39	WO8-12	48 × 48	16.00	Х	xx.xx	NO CENTER LINE
63	G020-4	36 × 18	4.5	Х	xx <b>.</b> xx	PILOT CAR FOLLOW ME
30	SPECIAL	36 × 36	9.00	Х	XX.XX	FRESH OIL LOOSE GRAVEL
68	SPECIAL	42 x 30	8.75	Х	×ו××	PLEASE WAIT FOR PILOT CAR
6	WO3-4	48 × 48	16.00	4	XX.XX	BE PREPARED TO STOP
60	CONST-7-48	48 × 24	8.00	2	××.××	RATE OUR WORK ZONE
616-10 CONSTR	.05 Uction sign	IS TOTAL			xxx.xx	* IF LESS THAN TWO (2) MILES, DELETE SIGN

		FLAG	ASSEMBLIES
ſ		QUANTITY	REMARKS
		EACH	
	TOTAL		

\* IF LESS THAN TWO (2) MILES, DELETE SIGN NO. 1.

\*\* ADDITIONAL SIGN NO. 2 USED AS SHOWN ON TRAFFIC CONTROL SHEET 2 OF 3 AND AS DIRECTED BY ENGINEER.

NOTE:


REFER TO STANDARD PLAN 616.10 AND 903.03 FOR SIGN AND SIGN MOUNTING REQUIREMENTS.

T	TEMPORARY RAISED PAVEMENT MARKER, TYPE 1 WITH COVERS									
LOG	MILE	LOG	MILE	QUANTITY	REMARKS					
				EACH						
		TO TO	TAL							
NOTE:	FINAL	STRIP	ING DO	INE BY OTHER	5.					

			SE	AL COAT QUA	NTITIES
LOG MILE	LOG MILE	NET LENGTH MILES	AVERAGE WIDTH FEET	SEAL COAT, GRADE _ SY	REMARKS
			TOTALS		

ARY SHEET T 1 OF 1					-		
23 P	MISSOURI HICHWAYS AND TRANSPORTATION DATE COMMISSION	DATE	DESCRIPTION				NOT
М	MODOT			PROJEC	JOB CONTRA	JTE RICT	BE CO A CERI DOCUM
9/11/	105 WEST CAPITOL			CT NO.		2012 ST/ M SHEE	ENT."
2012	JEFFERSON CITY, MO 65102 1-888-ASK-MODOT (1-888-275-6636)					T NO.	
REV.		-	IF A SEAL IS PRESENT ON THIS SHEET IT HAS	N THIS SHEET		EEN ELECTRON	BEEN ELECTRONICALLY SEALED AND DATED.


#### SUMMA SHEE



COUNTY JOB NO. CONTRACT ID. PROJECT NO. BRIDGE NO. BRIDGE NO.	L 4:14:1	ИЛССОЦИТ ПТИТИТАКСООТАТТОМ   РАТЕ	DESCRIPTION	-		-
	16 PM	SSIC		COM	ROUTE	NOT BI
105 WEST CAPITOL 1.0025.002 1.0027.62520 1.0027.62520 1.0027.62520 1.0027.62520 1.00	9/	MoDOT		UTRACT	T SH COUNTY	MEDIA S CONSI CERTIFI CUMENT TE PREPAR 11/20
	11/2012	105 WEST CAPITOL JEFFERSON CITY, MD 65102 1-888-ASK-MODOT (1-888-275-6636)		10.	ND HO 4	DERED ED . "

#### TRAFFIC CONTRO SHEET 1 OF 4

SEAL\_COAT\_Traffic\_Control\_1\_09\_2012.dgn 4:14:16 PM 9/11/2012



#### ACTIVE

### INACTIVE

SIGN SETS 1 AND 3 ARE ACTIVE AND (I.E., SIGNS FACE ONCOMING TRAFFIC).

SIGN SETS 2 AND 4 ARE INACTIVE (I.E., SIGNS DO NOT FACE EITHER DIRECTION OF TRAFFIC) WHEN THE RESURFACING OPERATION IS LOCATED BETWEEN SIGN SETS 1 AND 3.

WHEN SIGN SETS 2 AND 4 ARE ACTIVE, SIGN SETS 1 AND 3 BECOME INACTIVE AND ARE ADVANCED TO BECOME SETS 2 AND 4 WITH SIGN LEGENDS TURNED AWAY FROM BOTH DIRECTIONS OF TRAFFIC. WHEN THE RESURFACING OPERATION ADVANCES TO BETWEEN SIGN SETS 2 AND 4, SIGN SETS 2 AND 4 BECOME ACTIVE (I.E., NEW SIGN SETS 1 AND 3) AND SIGN SETS 1 AND 3 ADVANCED IN THE DIRECTION OF THE OPERATION (I.E., NEW SIGN SETS 2 AND 4).

NOTES:

DAYLIGHT FLAGGING OPERATIONS ONLY.

FLAG ASSEMBLIES FOR SIGNS WILL BE PAID FOR AS EACH PER SIGN, EXCEPT FOR SIGN WO20-7A WHICH IS SUBSIDIARY TO THE SIGN.


(A) SIGN 53 , "PILOT CAR FOLLOW ME" SHALL BE IN CONTRACTOR'S RESPONSIBILITY WHEN IN USE DURING OPERATION.

(B) FOR PLACEMENT OF SIGN 58 , SEE SHEET 7.

>	$\land \land$				NOT BE C A CER	DIA SHOULD ONSIDERED TIFIED KENT."
	BE					REPARED Z
					ROUTE	MO H
Ń	O STOP				DISTRICT	SHEET NO.
	W03-4	W020-7a				
	06	(08)				ACT ID.
	(4)				PROJE	CT ND.
					BRID	GE NO.
	(2)	(8)	(6) (7)	(2)		
	•	-	<b>• •</b>	•		2 SENT
					z	
			<b>`</b>		DESCRIPTION	
				)	SCRI	SE AL
					DE	
					ш	
			SET 4		DAT	
			INACTIVE		ION	1 T OL 5 1 0 2 6 3 6 )
			INACTIVE		RTAT	EST CAPITOL Υ. MO 65102 8-275-6636)
Г				1	NSPO	105 WEST V CITY• N [1-888-2
	SIGN SPACINO	G FOR ADVANCE SIGN	SERIES (2) (3)	_	TRA NC	6 Z 2
	SPEED (1) MPH	NON-DIVIDED HIGHWAYS	DIVIDED HIGHWAYS		HIGHWAYS AND TRANSPORTATION COMMISSION	JEFFERSON SK-MODOT (
-	0 - 35	200	200	-		-888-AS
	40 - 45	350	500	-		
-	50 - 55	500	1000			
	60 - 70	SA - 1000 FT. AND SC -				
	NOTES:				ΣV	
	DIMENSIONS IN	FEET UNLESS OTHERW	ISE NOTED.			
	(1) POSTED SPE	ED LIMIT PRIOR TO I	ROAD WORK.			
		TWEEN SIGNS, BETWE R, BEGINNING OF TA				
		AY BE ADJUSTED AS I Conditions.	NECESSARY TO			
	IS NEEDED. DIRECTIONS	TORY WHEN TEMPORAR FOR TEMPORARY ROA MAY BE STOPPED AT XIMUM OF 20 MINUTE:	D CLOSURE BOTH THE SAME TIME			
SE	EAL COAT	AGGREGAT sheet	E APPLICA	ATION		>
		SEAL_COAT_Traft	ic_Control_2_PILOT_CAR_0	9_2012.dgn 4:1	5:12 PM	9/11/2012

TRAFFIC CONTROL FOR





#### SET 1

SET 2

#### ACTIVE

INACTIVE

SIGN SETS 1 AND 3 ARE ACTIVE AND (I.E., SIGNS FACE ONCOMING TRAFFIC).

SIGN SETS 2 AND 4 ARE INACTIVE (I.E., SIGNS DO NOT FACE EITHER DIRECTION OF TRAFFIC) WHEN THE RESURFACING OPERATION IS LOCATED BETWEEN SIGN SETS 1 AND 3.

WHEN SIGN SETS 2 AND 4 ARE ACTIVE, SIGN SETS 1 AND 3 BECOME INACTIVE AND ARE ADVANCED TO BECOME SETS 2 AND 4 WITH SIGN LEGENDS TURNED AWAY FROM BOTH DIRECTIONS OF TRAFFIC. WHEN THE RESURFACING OPERATION ADVANCES TO BETWEEN SIGN SETS 2 AND 4, SIGN SETS 2 AND 4 BECOME ACTIVE (I.E., NEW SIGN SETS 1 AND 3) AND SIGN SETS 1 AND 3 ADVANCED IN THE DIRECTION OF THE OPERATION (I.E., NEW SIGN SETS 2 AND 4).

NOTES:

DAYLIGHT FLAGGING OPERATIONS ONLY.


FLAG ASSEMBLIES FOR SIGNS WILL BE PAID FOR AS EACH PER SIGN, EXCEPT FOR SIGN WO20-7A WHICH IS SUBSIDIARY TO THE SIGN.

SET 3

ACTIVE

				DATE PRE 9/11/2 ROUTE DISTRICT JOB N CONTRAC	2012 STATE MO SHEET 1 6 TY
2 •	(8) 	(7) •• ••	2	NO LL	r no.
		SET 4 NACTIVE		DATE	)5 WEST CAPITOL
SIGN SPACIN SPEED (1) MPH	G FOR ADVANCE SIGN S	NACTIVE BERIES (2) (3) DIVIDED		AND TRANSPORTATION DATE SSION	
SPEED (1)	g for advance sign s	NACTIVE		AND TRANSPORTATION DATE SSION	105 WEST CAPITOL
SPEED (1) MPH 0 - 35 40 - 45	G FOR ADVANCE SIGN S NON-DIVIDED HIGHWAYS 200 350	NACTIVE ERIES (2) (3) DIVIDED HIGHWAYS 200 500		HIGHWAYS AND TRANSPORTATION DATE COMMISSION	105 WEST CAPITOL
SPEED (1) MPH 0 - 35	G FOR ADVANCE SIGN S NON-DIVIDED HIGHWAYS 200	NACTIVE ERIES (2) (3) DIVIDED HIGHWAYS 200 500 1000 SB = 1500 FT.		HIGHWAYS AND TRANSPORTATION DATE COMMISSION	Ň
SPEED (1) MPH (1) 0 - 35 40 - 45 50 - 55 60 - 70 NOTES: DIMENSIONS IN (1) POSTED SPE (2) SPACING BE	G FOR ADVANCE SIGN S NON-DIVIDED HIGHWAYS 200 350 500 SA - 1000 FT. S AND SC - 2 FEET UNLESS OTHERWIS ED LIMIT PRIOR TO RO TWEEN SIGNS, BETWEEN R, BEGINNING OF TAPE	NACTIVE MERIES (2) (3) DIVIDED HIGHWAYS 200 500 1000 00 00 00 00 00 00 00 00		AND TRANSPORTATION DATE SSION	105 WEST CAPITOL

# TRAFFIC CONTROL FOR



FRESH OIL LOOSE GRAVEL SPECIAL 36	R	DATE 9/11 DUTE STRICT	PREPA PREPA //2C	RED 12 STATE MO HEET I 7 ID.	.D	S SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED
	DESCRIPTION	BRIC	OGE N			IF A SEAL IS PRESENT ON THIS SHEET
	MISSOURI HIGHWAYS AND TRANSPORTATION DATE			105 WEST CAPITOL	1-888-ASK-MODOT (1-888-275-6636)	
AVEMENT MARKING INSTALLED NG HAS BEEN COVERED OR IMAIN IN PLACE UNTIL THE VEMENT MARKINGS ARE IN PLACE. OR REMOVED WHEN PAVEMENT BEEN INSTALLED. PROXIMATELY TWO-MILE INTERVALS TIONS. WHEN THE INSTALLATION I ONE-EIGHTH MILE OF THE NORMAL LATTER MAY BE ELIMINATED. MOUNTED AND IN ACCORDANCE WITH ID 903.03. NT MARKERS TYPE 1 WITH COVERS INT OAPPLICATION OF SEAL COAT. TRAFFIC CONTROL SHEET 4 OF 4	MIS					۷.
ffic_Control_4_PILOT_CAR_09_2012.dgn 4:25	:34	PM	97	′11/2	012	REV